

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 12:42 pm

PWS ID: UTAH23001 **Name:** WEST ERDA IMPROVEMENT DISTRICT

Legal Contact: WEST ERDA IMPROVEMENT DISTRICT **Rating:** Not Approved
VERNIE LYNN LOVELESS **Rating Date:** 08/19/1996

Address: 47 SOUTH MAIN ST **Activity Status:** Active
TOOELE, UT 84074

Phone Number: 435-843-3160

City Served (Area):

County: TOOELE COUNTY

System Type: Community **Last Inv Update:** 11/29/2010 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 12/08/2009 **Total Dsgn Cap:**

Population: 80 **Surveyor:** JOHN H OAKESON **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Monthly	11/01/2006		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

	Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
DS001	UTAH23001 DISTRIBUTION SYSTEM			Activity Status: A	Sample Label: UTAH23001	DS001
	Lead & Copper	5	Routine	3 Years	2008	06/01-09/30 2011
WS001	MAJOR WELL			Activity Status: A	Sample Label: UTAH23001	WS001 WS001
	NITRATE	1	Routine	Year	01/10/2011	01/01/2012-12/31/2012
	Volatile Organics	1	Routine	3 Years	01/10/2011	01/01/2014-12/31/2016
	Inorg & Metals	1	Routine	9 Years	01/10/2011	01/01/2020-12/31/2028
	Sodium,Sulfate,TDS	1	Routine	9 Years	01/10/2011	01/01/2020-12/31/2028
	Pesticides	1	Routine	3 Years	01/10/2011	01/01/2014-12/31/2016
	Radionuclides	1	Routine	3 Years	01/10/2011	01/01/2014-12/31/2016